FIFRA §2(ee) RECOMMENDATION FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON



For use in Grapes for Control of Grape Rust Mite

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- Do not apply this product in any way that will contact workers or other persons; either directly or through drift. Only protected handlers may be in the area during application.
- For any requirements specific to your State or Tribe; consult the agency responsible for pesticide regulation.
- Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product.

GRAPE: Including American bunch grape, muscadine grape and Vinifera grape

Pest Controlled	Rate Fluid ounces / Acre
Grape Rust Mite	16.0 – 18.0

Restrictions

- Pre-Harvest Interval (PHI): 14 days
- Maximum ENVIDOR 2 SC MITICIDE allowed per crop season: 34.0 fluid ounces (0.53 lb a.i./Acre).
- Maximum number of applications per crop season: 1
- Minimum application volume: 50 GPA ground application only.
- Use higher dosage when mite population density is extreme and environmental conditions favor continued, prolonged infestation pressure.



Produced For: Gowan Company, LLC P.O. Box 5569 Yuma, AZ 85366-5569